

TEST REPORT

number 50/1/1/21-A/2

on compressed air testing

Sample	Compressed <u>air</u> in a container	
Date of analysis	24 & 25 March 2021	
Date of report	30 March 2021	
Report version	1-EN	
Number of pages	7	
Language	English	
Authors	Zoran Mačkić, director	+385 91 5938062
	Tomislav Malešević, mag.chem. (MEng in Chemistry)	+385 91 6550209
	Zlatko Grčić, dipl. ing. (MEng)	+385 91 2643082
	Borjan Svetina, dipl. ing. geol. (MEng in Geology)	+385 91 4847740
	Sanja Habuš, p.p.	+385 91 3398030
	ANT d.o.o.	+385 1 3863391 ant@ant.hr www.ant.hr
Number of attachments	-	
Client	AIR RIO proizvodno-uslužni obrt, vl. Ivan Volarić Dražica 15 51550 MALI LOŠINJ CROATIA	

This test report may not be reproduced, except in full and with the written consent of the company ANT

REGISTRATION

The company ANT d.o.o. is registered with the Commercial Court in Zagreb, Company Registration Number: 080301622, TIN: 67120058773, economic activity code: 71.2 - technical testing and analysis.

The company ANT d.o.o. is authorised to perform its professional services by the competent authorities:

- Ministry of Economy and Sustainable Development (Ministry of Environmental Protection and Energy);
- Ministry of Labour, Pension System, Family and Social Policy (Ministry of Labour and Pension System);
- Ministry of Health.

LIST OF AUTHORISATIONS

Based on the DECISION issued by the Ministry of Environmental Protection and Energy (CLASS: UP/I 351-02/18-08/15, REF.NO: 517-03-1-2-18-3, dated 15 October 2018), the company ANT d.o.o. is authorised to perform professional services related to environmental protection:

1. Preparing documentation required for the procedure of assessing the need for an environmental impact assessment and documentation required to determine the content of an environmental impact study
2. Preparing state of the environment reports,
3. Preparing environmental protection studies related to projects which are not subject to the obligation to assess environmental impact,
4. Preparing special studies and reports required to assess the condition of environmental compartments,
5. Performing professional services for the purpose of the Environmental Pollution Register.

Based on the DECISION issued by the Ministry of Labour and Pension System (CLASS: UP/I-115-01/19-01/19, REF. NO: 524-03-03-02/3-19-4 dated 22 May 2019), the company ANT d.o.o. is authorised to perform professional services related to safety at work:

1. performing services related to safety at work at the employer's premises,
2. testing chemical factors in the work environment.

Based on the DECISION issued by the Ministry of Health (CLASS: UP/I-542-04/93-03/01 REF. NO: 534-04-10-93-02 dated 10 January 1994), the company ANT d.o.o. is authorised to perform certain services under the Sanitary Inspection Act.

Director:

Zoran Mačkić

TABLE OF CONTENTS

1	INTRODUCTION	4
2	TEST EQUIPMENT	5
3	TEST PROCEDURE	6
4	TEST RESULTS	7

1 INTRODUCTION

A container with a compressed sample declared as compressed air was delivered by the Client to the address of the registered office of the company ANT d.o.o., Medarska street 69, 10090 Zagreb.

Testing of the compressed sample in the container was carried out in the premises of the company's laboratory on 24 & 25 March 2021. The container contents were tested with a Gasetm DX-4000 analyzer operating on the principle of Fourier-transform infrared spectroscopy (FTIR) and a Dräger X-AM 7000 operating on the principle of electrochemical, catalytic and infrared (IR) sensors.

The container is labelled „airbreath® 100% pure air“ and contains 7 litres of compressed air with a declared purity of 100% (Figure 1).



Figure 1. The container with the compressed sample

2 TEST EQUIPMENT

The testing was performed using the Fourier-transform infrared spectroscopy (FTIR) method with the following instrument:

Title:	Gas analyser
Manufacturer:	Gasmet
Type:	FTIR gas analyser
Model:	DX-4000
Serial number:	071146
Calibrated/checked:	Calibration certificate No. 3-0007/20-02

The testing was performed by the method of electrochemical, catalytic and infrared (IR) sensors with the following instrument:

Title:	Instrument for detection of explosive and toxic gases
Manufacturer:	Dräger Safety
Model:	X-AM 7000
The instrument is used to test the following gases:	
CO ₂	0,00 – 100,00 %
CH ₄	0,0 – 100,0 %
O ₂	0,00 – 25,00 %
H ₂	0 – 1.000 ppm
H ₂ S	0,0 – 100,0 ppm
Calibrated/checked:	Final examination report No. EX-20-HR01911828

3 TEST PROCEDURE

In order to ensure the quality of the testing, the following procedures were performed before proceeding to the analysis of the compressed sample in the container:

Procedure	Accordant
Leak test of the testing line	YES
Zeroing the analyser Gaset DX-4000 with nitrogen (N ₂) of purity 5.0	YES

In order to ensure the operating flow of the Gaset DX-4000 analyser pump, a buffer in the form of a gas storage bag was used in the testing line. Prior to the application of the buffer, i.e. the said bag, it was successfully tested for impermeability, which proved that it was not mechanically damaged and that it was suitable for further analysis.

The testing line (pipes and buffer) was filled with nitrogen (N₂) of purity 5.0 (99.999%) and then completely emptied with the help of the Gaset DX-4000 analyser pump, in order to protect the entire testing line from possible external contaminants.

After the testing line was prepared in this way, the analysis of the container content was performed in such a way that a sample from the container was dosed simultaneously with the operation of the Gaset DX-4000 analyser. In order to further ensure that the ambient air did not enter the testing line, but only the sample from the container, the test results of the first litre of sample were not taken into account.

The oxygen (O₂) concentration in the delivered sample was measured with a Dräger X-AM 7000 instrument.

The analysis was performed on the content of following gases:

- O₂ (oxygen)
- H₂O (vapour)
- CO₂ (carbon dioxide)
- CO (carbon monoxide)
- Total hydrocarbons
- NO_x (nitrogen oxides)
- SO₂ (sulphur dioxide).

4 TEST RESULTS

The results of the analysis were compared with the requirements of 'Grade E' category of Compressed Gas Association CGA G-7.1. – 2011 standard.

Table 1. Test results

Tested gas	Result	CGA G-7.1 Grade E 2011	Accordant
O ₂ (%)	20,9	Not applicable	
H ₂ O (vol %)	0,20	-	-
CO ₂ (ppm)	53	1000	YES
CO (ppm)	< 0,5	10	YES
Ukupni ugljikovodici (ppm)	<2	25	YES
NO _x (ppm) (NO + NO ₂ + N ₂ O)	< 1	-	-
SO ₂ (ppm)	< 1	-	-

Report compiled by:

Tomislav Malešević, mag.chem.
(MEng in Chemistry)

Zlatko Grčić, dipl. ing.
(MEng)

Borjan Svetina, dipl. ing. geol.
(MEng in Geology)

Sanja Habuš, p.p.

Report reviewed by:

Zoran Mačkić, head of the laboratory